



Tel: (+39) 030 3534144 Fax: (+39) 030 3530815 info@tecnosens.it PEC: tecnosens@legalmail.it



## TEC-OXY-D3-ZZ

**Product code:** TEC-OXY-D3-ZZ **Manufacturer:** Tecnosens SpA

Oxygen measurement module in various ranges between 10ppm and 96% based on zirconium oxide sensor.

This technology allows accurate and accurate measurements to be obtained, ensuring high stability over time; therefore requiring little maintenance.

The board to which the sensor is connected, designed and produced by Tecnosens S.p.A., manages the conditioning of the sensor and outputs a linear signal to the concentration of oxygen.

The product is supplied in DIN rail mounting version to allow a rapid installation in industrial plants. The TEC-OXY-D3-ZZ is available with different full-scale to suit any use.

## Features:

- Full scale available: 1000ppm / 1% / 2% / 3% / 5% / 25% / 95% / 96% O2
- 4-20mA current outputs and 0-10V voltage
- Communication via RS485 and Modbus protocol
- USB & RS232
- 2 relay with settable threshold
- 2 optoisolated digital inputs
- 4 analogue transistors outputs

The TEC-OXY-D3-ZZ module is provided with a graphic display for real-time display of the detected oxygen concentration.

By means of the buttons it is possible to switch from the display in figures to the graphic time display.

© Tecnosens S.p.A. 2025 1/2



**Tecnosens S.p.A.** Via Vergnano,16 25125 Brescia (BS) Italia

Tel: (+39) 030 3534144 Fax: (+39) 030 3530815 info@tecnosens.it PEC: tecnosens@legalmail.it

Power Supply	12 - 24 Vdc
Measurement range	10-1.000 ppm 0.05-1 % 0.05-2 % 0.05-3 % 0.1-25 % 0.1-95 % 0.1-96 %
Target Gas	Oxygen
Output	4-20 mA, linear 0-10V, linear RS485 USB RS232 Relay

© Tecnosens S.p.A. 2025 2 / 2